

Maßarbeit.

www.permobil.com
www.facebook.com/permobil

A man with sunglasses and a light-colored shirt is seated in a black Permobil C500 wheelchair. He is moving through a tunnel, with the background showing blurred orange and yellow light trails, suggesting motion. The wheelchair has 'C500' printed on the front fender.

Funktionalität.

der Permobil-Rollstühle

permobil

THE POWER OF MOBILITY



Freiheit.
für den Benutzer

Inhalt.



permobil

THE POWER OF MOBILITY

C500			Street	X850	M400	Koala
Miniflex	Corpus 3G	VS (VS Jr.)	Corpus	Corpus	Corpus 3G	Miniflex
1050	1225	1215	1150	1260-1460	1105	965
650	675	675	620	720	620	560
905	930	1085	875	1260	815	710
520	535	530	560	560	450	410
520-720	535-735	530-780	560-810	560-760	450-650	410-660
138	180	188	155	190	171	85
35	136	70-100-120	120	136	136	35
250-300-350	420-570 (in 50-mm-Stufen)	430-480	430-480	430-480	420-570 (in 50-mm-Stufen)	250-300-350
270-320-370	370-570 (in 25-mm-Stufen)	400-550 (in 25-mm-Stufen) (350-450) (in 25-mm-Stufen)	360-560 (in 50-mm-Stufen)	360-560 (in 50-mm-Stufen)	370-570	270-320-370
270-320-370	360-410-460	340-390-440	340-390-440	340-390-440	360-410-460	270-320-370
325-375-425	470, 545-670	550-620	535-605	535-605	470, 545-670	325-375-425
215-375	380-580	360-420-470	350-400-450	350-400-450	380-580	250-350
90°-165°	85°-175°	90°-180°	90°-135°	90°-120°	Bis 175°	90°-165°
90°-150°	85°-170°	90°-180°	100°-180°	-	Bis 170°	90°-150°
2 x 73	2 x 73	2 x 73	2 x 73	2 x 97	2 x 60 - 2 x 73	2 x 40
8	8	8	8	11	8	8
30-40	30-40	30-40	30-35	35-45	30-35	25-30
6 - 10	6 - 10	6 - 10	6 - 12	10 - 15	6 - 10 - 12	6 - 6,5
1200	1200	1200	1200	3500	1200 - 2000	1000
2 x 300	2 x 300	2 x 300	2 x 500	2 x 500	2 x 350	2 x 300
715	715	715	900	1680	585	570
70	60 - 80	70 - 90	60 - 80	110	60 - 80	60
ja	ja	ja	ja	ja	ja	nein
Pilot+	R-Net	R-Net	R-Net	Perm. Safegate	R-Net	Pilot+
ja	ja	ja	ja	ja	ja	ja
ja	ja	ja	ja	ja	ja	ja
nein	ja	ja	ja	-	ja	nein
nein	ja	ja	ja	ja	ja	nein
2	2	2	2	2	2	2

Chairman HD	K300PS JR	K450	
Corpus	PS Jr	MX	
1120	1080	1240	
700	620	640	
920	885	1110	
550	460	-	
550-750	460-660	100-650	
165	120	141	
200	76	60	
480-530-580	275-400	250-400 (in 50-mm-Stufen)	
435-635 (in 50-mm-Stufen)	250-450	250-400 (in 50-mm-Stufen)	
460-510-560	275-400	250-350 (in 50-mm-Stufen)	
720	350-560	325-475	
470-520-570	Verstellbar	Verstellbar	
90°-135°	85°-120°	Verstellbar	
90°-135°	-	90°-180°	
2 x 73	2 x 60	2 x 60	
8	8	8	
30-40	30-35	30-35	
6 - 6,5	6 - 7	6 - 8	
1200	1200	1200	
2 x 300	2 x 250	2 x 250	
750	625	1060	
60	60 - 80	50 - 60	
nein	ja	ja	
Pilot+	R-Net	R-Net	
ja	ja	ja	
ja	ja	ja	
ja	nein	nein	
ja	nein	nein	
2	2	2	